

ADDENDUM NO. 1

November 9th, 2021

**Carmel Clay Schools – West Clay Elementary School Walking Path Re-Quote
Carmel, IN 46033**

TO: ALL QUOTING CONTRACTORS OF RECORD

This Addendum forms a part of and modifies the Quoting Requirements, Contract Forms, Contract Conditions, the Request For Quote for Carmel Clay Schools – West Clay Elementary School Walking Path Re-Quote. Acknowledge receipt of the Addendum in the space provided on the Proposal Form. Failure to do so may subject the Bidder to disqualification.

This Addendum consists of Pages ADD 1-1, Updated Proposal Form with Addendum Information, Fanning Howey Associates Addendum No. 1 – Drawing G1.0 dated April November 9, 2021 consisting of 1 page.

ALTERNATE:

Alternate No. 01: Provide new *Concrete Multi-Use Paths* five feet wide in lieu of the new asphalt walking paths detailed in Graphic Plan Notes #2 & #16. Refer to Drawing G1.0 / Detail 3 for the 4” Concrete Slab Detail to be matched for this alternate.

SCHEDULE:

- C. Contractor responsible to complete all work within 120 days of Notice to Proceed.
- D. Contractor responsible to complete all landscaping restoration by April 29, 2022.

PROPOSAL FORM
TSC PROJECT #220110.01

WEST CLAY ELEMENTARY WALKING PATH RE-QUOTE

Base Proposal: \$ _____

Alternate No. 01 - Concrete Multi-Use Paths: \$ _____

Addenda Received (No. & Date): _____

The undersigned agrees to perform the services set forth in this proposal. The undersigned also covenants that he/she is fully empowered to execute and deliver this proposal on behalf of the proposer and that, if accepted by **Carmel Clay Schools**; this proposal shall represent a lawful and binding obligation of the Proposer.

Firm Name _____ Prices Firm Through _____


Address _____ Payment Terms _____

City, State and Zip _____ Delivery Date _____

Phone # _____ Fax# _____

Email Address _____

By: _____
(Representative Signature) (Representative Typewritten Name)



SITE PAVING PLAN

SCALE: 1" = 60'-0"

GRAPHIC PLAN NOTES

- 1 NEW CONCRETE WALKING PATH - MEET EXISTING WALK FLUSH, SEE DETAILS #3, #4, #5 SHT G1.0
- 2 NEW ASPHALT WALKING PATH - TO MATCH EXISTING LOCATION AND WIDTH (8'WIDE) - SINGLE PASS BASE COURSE TYP, SEE DETAIL #1 SHT G1.0 FOR FURTHER INFORMATION, CONTRACTOR IS TO REMOVE ALL EXISTING GRAVEL WITHIN AREAS TO RECEIVE NEW PAVING IF FOUND TO NOT PASS COMPACTION TEST FOR REUSE TYP.
- 3 EXISTING TRAFFIC SIGNS (2+/-) TO REMAIN, TYP
- 4 EXISTING ASPHALT PAVING/DRIVE AND CONCRETE CURBING TO REMAIN, SEE DETAIL #2 SHT G1.0
- 5 EXISTING LIGHT POLES AND CONCRETE BASES (2+/-) TO REMAIN
- 6 EXISTING CROSSWALK TO REMAIN
- 7 DEMO/REMOVE EXISTING CONCRETE SLAB (3' x 7') AND DISPOSE OF LEGALLY OFF SITE
- 8 EXISTING CONCRETE WALKS AND RAMPS TO REMAIN TYP
- 9 EXISTING DRAINAGE TILE TO REMAIN TYP
- 10 DEMO EXISTING TREES AND SHRUBS WITHIN HATCHED AREA AS NEEDED TO ACCOMMODATE PROPOSED SCOPE OF WORK TO BE IMPLEMENTED WITHIN NOTED AREA - PROVIDE 3' MIN. CLEARED ON BOTH SIDES OF NEW WALKWAY OF ALL VEGETATIVE DEBRIS PRIOR TO SEEDING AREAS TO MATCH EXISTING LAWN SPACES
- 11 EXISTING TREES TO REMAIN TYP
- 12 NEW (2) TAPCO LED WARNING SYSTEM, SIGN LEGEND NO LEGEND, BASIC POWER SOURCE SOLAR - ITEM # 493X91 - UNSPSC # 55121718 - MFR. MODEL # 600084, SIGN HEADER TEXT COLOR (BLACK), BACKGROUND COLOR (FLUORESCENT YELLOW-GREEN), INSTALL PER MANUFACTURERS WRITTEN RECOMMENDATION, PROVIDE ALL PARTS AND ACCESSORIES NEEDED FOR PROPER INSTALL AND MAINTENANCE PER MANUFACTURERS GUIDANCE AND WRITTEN PRODUCT SPECIFICATIONS
- 13 NEW WALK TO EXISTING WALK, SEE DETAILS #6, #8 SHT G1.0
- 14 FINE GRADE, SEED ALL DISTURBED LAWN AREAS AS NOTED OR THOSE AREAS NOT COVERED WITH OTHER IMPROVEMENTS, SEE DETAILS #7 SHT G1.0
- 15 EXISTING ASPHALT WALKING PATH TO REMAIN - PROTECT DURING CONSTRUCTION
- 16 EXISTING GRAVEL WALKING PATH TO REMAIN - PROTECT DURING CONSTRUCTION
- 17 NEW HOA ASPHALT WALKING PATH, SEE DETAIL #9 SHT G1.0 FOR FURTHER INFORMATION

GENERAL NOTES

All contractors but not limited to the excavating contractor or contractors must take particular care when excavating in and around existing utility lines and equipment. Actual field locations of all the existing utilities are the contractors responsibility and must be located either by the representative of the utility company or by a private underground utility locating company prior to the start of excavating. Verify minimum cover requirements by the utility contractor or contractors or agencies whomever utility companies or agencies whomever has jurisdiction so not to cause damage.

All construction methods and materials must conform to current standards and specifications.

Existing pavement, sidewalks curbs driveways, electrical transformer, ditches, drainage pipes and structures, fences, lawns, trees, bushes, mailboxes, signs, power poles etc., to remain shall be protected from damage by the contractor. Any damage during construction shall be restored, reconstructed or replaced by the contractor at his/her expense. All damages shall be restored or replaced to their original or like new condition.

All areas where the existing pavement or pavements are damaged during construction from heavy traffic or equipment, fuel oil, oil, gasoline, etc., by the Contractor, Subcontractor, or Suppliers, shall be reconstructed to it's original condition.

The contractor shall be responsible to provide at his expense all automobile and pedestrian traffic control devices required by Federal, State, County, City or Local governments.

Removal of the existing improvements are as noted on the plans. The materials removed from the site shall be disposed of in a proper and legal manner per Federal, State, County, City, and/or Local laws and ordinance.

It is the responsibility of the contractor or contractors to obtain all Federal, State, County, City, and Local permits for any and all work required.

The contractor or contractors are responsible to pay for all required permits by any or all agencies.

All existing utilities; underdrain, electrical, etc. are to remain, contractor is to reestablish all disturbed utilities back to operable existing conditions prior to the conclusion of construction.

It is the contractor's responsibility to notify all the utility companies and departments 72 hours before construction is to start to verify any utilities that may be present on site. All verifications, locations, size and depths shall be made by the appropriate utility companies or departments. When excavating around or over existing utilities the contractor must notify the utility company so a representative of the utility can be present during the excavation to instruct and observe during the excavation.










It is the responsibility of the contractor to inspect each day and remove all mud, dirt, gravel and loose materials tracked, dumped, spilled or wind blown from this site onto other sites, right of ways, public or private streets or roads, driveways, yards or sidewalks. The contractor must clean or pick up daily if necessary. The contractor shall reduce the airborne dust during the entire construction schedule. Water may be used for dust control.

The utilities indicated on these plans may not be a complete inventory of all the existing utilities present on and around this site. The locations and sizes of these utilities are approximate. This information was gathered or supplied from others and used by the architect and or engineer and may not be actual. The architect and or engineer may not be held liable for any incorrect or misleading utility information indicated, implied or not indicated on these plans.

The contractor shall verify all dimensions and elevations in the field before the start of construction. The contractor shall be responsible for all field dimensions and elevations during the entire construction schedule. If any discrepancies are found on the plans from actual field conditions the contractor shall contact the A/E immediately. If any discrepancies are found on the survey plan or from actual field conditions the contractor shall contact the A/E immediately for instructions.

All dimensions of pavements are to edge of finish pavement or face of curb unless otherwise noted.

SITE DETAILS



COPYRIGHT 2020 BY FANNINGHOWE ASSOCIATES, INC.

WEST CLAY ELEMENTARY SCHOOL PAVING IMPROVEMENTS

3495 W 126TH ST, CARMEL, IN 46032

PROJECT: 221126.00

CARMEL CLAY SCHOOLS



ARCHITECT

FANNING HOWEY

(317) 848-0966


350 E. NEW YORK STREET INDIANAPOLIS, IN 46204

WWW.FHAL.COM



VICINITY MAP

CONSTRUCTION DOCUMENTS



PROJECT MANAGER: KS

DRAWN BY: EB

PROJECT NUMBER: 221126.00

PROJECT ISSUE DATE: 11/9/21

REV. NO.	DESCRIPTION	DATE
1	ADDENDUM #1	11/9/21

SITE PAVING PLAN

G1.0